








Part No.	DESCRIPTION	QTY.
1	Back	1
2	Front	1
3	Bottom	1
4	Side	2
5	Table	1
6	PVC Pipe Quarter	1
7	Stopper	2
8	Liner	2
9	Bracket	2
10	Table Support	1
11	PVC Support	1
12	Bucket	1





PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		WATER TABLE	
		MATERIAL: Plexiglass			
DEFAULT TOLERANCES:		DESCRIPTION: Back piece of tank		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X.±.25 X.X±.1 X.XX±.01 X.XXX±.002	ANGULAR: X.±2 X.X±1 X.XX±0.30°	CHECKED BY: Robert Willis	DATE:		
		DRAWN BY: Nate Randall	DATE: 2/8/2015	PART #: 1-01	QTY: 1
		FILE NAME: 1-01 Back.SLDPRT		SCALE: 1:5	SHEET: 1 OF 1




PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		WATER TABLE		
		MATERIAL: Plexiglass				
DEFAULT TOLERANCES:		DESCRIPTION: Front of tank			UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002	ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30°	CHECKED BY: Robert Willis	DATE:			
		DRAWN BY: Nate Randall	DATE: 2/8/2015	PART #: 1-02	QTY: 1	
FILE NAME: 1-02 Front.SLDPRT				SCALE: 1:5	SHEET: 1 OF 1	






TOP




FRONT



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		PROJECT NAME	
		MATERIAL: Plexiglass			
DEFAULT TOLERANCES:		DESCRIPTION: Base of tank		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002	ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30'	CHECKED BY: Robert Willis	DATE:		
		DRAWN BY: Nate Randall	DATE: 2/8/2015	PART #: 1-03	QTY: 1
		FILE NAME: 1-03 Bottom.SLDPRT	SCALE: 1:5	SHEET: 1 OF 1	



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table		
		MATERIAL: Plexiglass				
DEFAULT TOLERANCES:		DESCRIPTION: Sides of tank			UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002	ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30°	CHECKED BY: Robert Willis	DATE:			
		DRAWN BY: Nate Randall	DATE: 2/11/2015	PART #: 1-04	QTY: 2	
		FILE NAME: 1-04 Side.SLDPRT			SCALE: 1:5	SHEET: 1 OF 1







TOP






Etched Back


FRONT



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table	
		MATERIAL: Plexiglass			
DEFAULT TOLERANCES:		DESCRIPTION: Flat surface of the water table		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002	ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30'	CHECKED BY: Robert Willis	DATE:		
		DRAWN BY: Nate Randall	DATE: 4/4/2015	PART #: 1-05	QTY: 1
		FILE NAME: 1-05 Table.SLDPRT		SCALE: 1:10	SHEET: 1 OF 1



<div>PROPRIETARY AND CONFIDENTIAL</div> <div>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.</div>		<div>DIMENSIONS ARE IN INCHES</div> <div>THIRD ANGLE PROJECTION </div>		<div>Water Table</div>	
		<div>MATERIAL: PVC Pipe</div>			
<div>DEFAULT TOLERANCES:</div> <div>LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002</div>		<div>DESCRIPTION: Quartered 6" PVC Pipe</div> <div>CHECKED BY: Robert Willis</div> <div>DATE:</div> <div>DRAWN BY: Nate Randall</div> <div>DATE: 2/8/2015</div> <div>FILE NAME: 1-06 PVC Pipe Quarter.SLDPRT</div>		<div>UNIVERSITY OF IDAHO ME DEPARTMENT</div> <div>PART #: 1-06</div> <div>QTY: 1</div> <div>SCALE: 1:3</div> <div>SHEET: 1 OF 1</div>	
<div>ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30'</div>					





PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table	
		MATERIAL: Plexiglass			
DEFAULT TOLERANCES:		DESCRIPTION: Directs water into the bucket		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002	ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30°	CHECKED BY: Robert Willis	DATE:		
		DRAWN BY: Nate Randall	DATE: 2/8/2015	PART #: 1-07	QTY: 2
		FILE NAME: 1-07 Stopper.SLDPRT		SCALE: 1:1	SHEET: 1 OF 1





FRONT

Thickness of 0.10"


PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table	
DEFAULT TOLERANCES:		DESCRIPTION:		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR:	ANGULAR:	CHECKED BY:	DATE:		
X. ± .25	X. ± 2	XXXXXXXXXX	XX/XX/XX		
X.X ± .1	X.X ± 1	DRAWN BY: Nate Randall	DATE: 2/8/2015		
X.XX ± .01	X.XX ± 0.30	FILE NAME: 1-08 Liner.SLDprt		PART #: 1-08	QTY: 2
X.XXX ± .002				SCALE: 1:5	SHEET: 1 OF 1






TOP






FRONT

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table	
		MATERIAL: Plexiglass			
DEFAULT TOLERANCES:		DESCRIPTION: Reinforces table		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002		CHECKED BY: Robert Willis DRAWN BY: Nate Randall FILE NAME: 1-09 Bracket.SLDPRT			
ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30		DATE: 2/8/2015		PART #: 1-09	
				QTY: 2	
				SCALE: 2:1	
				SHEET: 1 OF 1	



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table	
		MATERIAL: Plexiglass			
DEFAULT TOLERANCES:		DESCRIPTION: Reinforces table		UNIVERSITY OF IDAHO ME DEPARTMENT	
LINEAR: X.±.25 X.X±.1 X.XX±.01 X.XXX±.002	ANGULAR: X.±2 X.X±1 X.XX±0.30°	CHECKED BY: Robert Willis	DATE:		
		DRAWN BY: Nate Randall	DATE: 2/8/2015	PART #: 1-10	QTY: 1
		FILE NAME: 1-10 Support.SLDPRT		SCALE: 1:3	SHEET: 1 OF 1



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF IDAHO, ME DEPARTMENT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF IDAHO, ME DEPARTMENT IS PROHIBITED.		DIMENSIONS ARE IN INCHES THIRD ANGLE PROJECTION 		Water Table	
		MATERIAL: Plexiglass		UNIVERSITY OF IDAHO ME DEPARTMENT	
DEFAULT TOLERANCES:		DESCRIPTION: Reinforces PVC Pipe Quarter			
LINEAR: X. ± .25 X.X ± .1 X.XX ± .01 X.XXX ± .002	ANGULAR: X. ± 2 X.X ± 1 X.XX ± 0.30'	CHECKED BY: Robert Willis	DATE:		
		DRAWN BY: Nate Randall	DATE: 2/8/2015	PART #: 1-11	QTY: 1
FILE NAME: 1-11 Bottom Support.SLDPR1		SCALE: 1:3		SHEET: 1 OF 1	